

CLEAN COPY OF THE CLAIMS

1. A curable composition comprising:
- (a) an alkenyl terminated linear diorganopolysiloxane gum;
  - (b) an alkenyl containing diorganopolysiloxane gum;
  - (c) a precipitated silica reinforcing filler with surface area of from about 90 to 300 m<sup>2</sup>/g;
  - (d) a hydroxy terminated polysiloxane fluid;
  - (e) an organohydrogenpolysiloxane;
  - (f) an effective amount of a low compression set additive said additive comprising an acetylene alcohol; and
  - (g) an effective amount of an addition-cure catalyst.
2. The composition of claim 1, wherein the composition comprises:
- (a) from 60 to 98 parts by weight of the alkenyl terminated linear diorganopolysiloxane gum;
  - (b) from 2 to 40 parts by weight of the alkenyl containing diorganopolysiloxane gum;
  - (c) from 10 to 200 parts by weight of the precipitated silica;
  - (d) from 0.1 to 10.0 parts by weight of the hydroxy terminated polysiloxane fluid; and
  - (e) from 0.1 to 30 parts by weight of the organohydrogenpolysiloxane.

22. The composition of claim 1, wherein the low compression set additive further comprises a peroxide.